ELSEVIER

Brain Research 690 (1995) 279–280

BRAIN RESEARCH

Author Index

Abbud, R. and Smith, M.S.
Do GnRH neurons express the gene for the NMDA receptor? (690) 117
Amir, S., see Edelstein, K. (690) 254
Amir, S., see Woodside, B. (690) 48

Baba, K., see Ikeda, M. (690) 225
Baba, K., see Nakagawa, H. (690) 236
Bach, F.W. and Yaksh, T.L.
Release into ventriculo-cisternal perfusate of β-endorphin- and Met-enkephalin-immunoreactivity: effects of electrical stimulation in the arcuate nucleus and periaqueductal gray of the rat (690) 167
Badiani, A., Leone, P. and Stewart, J.
Intra-VTA injections of the mu-opioid antagonist CTOP enhance locomotor activity (690) 112
Beitz, A.J., see Williams, F.G. (690) 207
Bergman, D.A., see Coulter, C.L. (690) 217
Bhargava, H.N., House, R.V., Thorat, S.N. and Thomas, P.T.
Effects of naltrexone on morphine-induced tolerance and physical dependence and changes in cellular immune function in mice (690) 121
Blengio, M., see Ghi, P. (690) 104
Brandsma, D., see Eggen, B.J.L. (690) 73
Breedlove, S.M., see Freeman, L.M. (690) 1

Churn, S.B., see Limbrick Jr., D.D. (690) 145
Coulter, C.L., Happe, H.K., Bergman, D.A. and Murrin, L.C.
Localization and quantification of the dopamine transporter: comparison of [^{3}H]WIN 35,428 and [^{125}I]RTI-55 (690) 217
Crouch, M.F., see Johanson, S.O. (690) 55
Crowley, W.R., see Dube, M.G. (690) 275
Culman, J., see Tschöpe, C. (690) 15

Darius, S., Wolf, G., Huang, P.L. and Fishman, M.C.
Localization of NADPH-diaphorase/nitric oxide synthase in the rat retina: an electron microscopic study (690) 231
Davies, P., Petit, J. and Scott, J.J.A.
The dynamic response of Golgi tendon organs to tetanic contraction of in-series motor units (690) 82
DeFelipe, J., see Del Río, M.R. (690) 133
De Juan, J.A., Moya, F.J., Fernandez-Cruz, A. and Fernandez-Durango, R.
Identification of endothelin receptor subtypes in rat retina using subtype-selective ligands (690) 25
DeLorenzo, R.J., see Limbrick Jr., D.D. (690) 145
Del Río, M.R. and DeFelipe, J.
A light and electron microscopic study of calbindin D-28k immunoreactive double bouquet cells in the human temporal cortex (690) 133
Desmond, N.L., see Klintsova, A. (690) 269
Dou, D., see Joseph, R. (690) 92
Dryden, S., Pickavance, L., Frankish, H.M. and Williams, G.
Increased neuropeptide Y secretion in the hypothalamic paraventricular nucleus of obese (*fa/fa*) Zucker rats (690) 185
Dube, M.G., Kalra, P.S., Crowley, W.R. and Kalra, S.P.
Evidence of a physiological role for neuropeptide Y in ventromedial hypothalamic lesion-induced hyperphagia (690) 275

Edelstein, K. and Amir, S.
Non-photic manipulations induce expression of Fos protein in the suprachiasmatic nucleus and intergeniculate leaflet in the rat (690) 254
Eggen, B.J.L., Brandsma, D., Kasperaitis, M., Gispen, W.H. and Schrama, L.H.
Rat B-50 gene transcription and translation (690) 73

Fang, J., see Takahashi, S. (690) 241
Fernandez-Cruz, A., see De Juan, J.A. (690) 25
Fernandez-Durango, R., see De Juan, J.A. (690) 25
Ferretti, C., see Ghi, P. (690) 104
Fishman, M.C., see Darius, S. (690) 231
Fodor, M., Gallatz, K. and Palkovits, M.
Calcitonin gene-related peptide innervation of A2-catecholamine cells in the nucleus of the solitary tract of the rat (690) 141
Frankish, H.M., see Dryden, S. (690) 185
Freeman, L.M. and Breedlove, S.M.
Motoneurons innervating guinea pig perineal muscles are sexually dimorphic in size but not number (690) 1

Gallatz, K., see Fodor, M. (690) 141
Gean, P.-W., see Hsu, K.-S. (690) 264
Gemba, H., see Ikeda, M. (690) 225
Ghi, P., Ferretti, C. and Blengio, M.
Effects of different types of stress on histamine-H_3 receptors in the rat cortex (690) 104
Gispen, W.H., see Eggen, B.J.L. (690) 73
Glass, J.D., see Lee, W. (690) 64
Gulati, K. and Ray, A.
Effects of intrahypothalamic morphine and its interactions with oxytocin and vasopressin during food intake in rats (690) 99

Happe, H.K., see Coulter, C.L. (690) 217
Hastings, J.A., see Pavia, J.M. (690) 108
Heale, V.R., Vanderwolf, C.H. and Leung, L.S.
The neurotoxins colchicine and kainic acid block odor-induced fast waves and olfactory-evoked potentials in the dentate gyrus of the behaving rat (690) 157
Hedlund, P.B., see Hillefors-Berglund, M. (690) 34
Hendry, I.A., see Johanson, S.O. (690) 55
Hillefors-Berglund, M., Hedlund, P.B. and Von Euler, G.
Effects of CGS 21680 in vivo on dopamine D_2 agonist binding in the rat brain (690) 34
Honegger, P., see Monnet-Tschudi, F. (690) 8
House, R.V., see Bhargava, H.N. (690) 121
Houtani, T., see Ikeda, M. (690) 225
Houtani, T., see Nakagawa, H. (690) 236
Hsu, K.-S., Huang, C.-C., Yang, C.-H. and Gean, P.-W.
Presynaptic D_2 dopaminergic receptors mediate inhibition of excitatory synaptic transmission in rat neostriatum (690) 264
Huang, C.-C., see Hsu, K.-S. (690) 264
Huang, P.L., see Darius, S. (690) 231
Hwang, B.H., Kunkler, P.E., Lumeng, L. and Li, T.-K.
Calcitonin gene-related peptide (CGRP) content and CGRP receptor binding sites in discrete forebrain regions of alcohol-preferring vs. -nonpreferring rats, and high alcohol-drinking vs. low alcohol-drinking rats (690) 249

Ikeda, M., Houtani, T., Nakagawa, H., Baba, K., Kondoh, A., Ueyama, T., Yamamoto, T., Gemba, H. and Sugimoto, T.
Enkephalin-immunoreactive fastigial neurons in the rat cerebellum project to upper cervical cord segments (690) 225
Ikeda, M., see Nakagawa, H. (690) 236

Jian, S., see Montero, V.M. (690) 189
Johanson, S.O., Crouch, M.F. and Hendry, I.A.
Retrograde axonal transport of signal transduction proteins in rat sciatic nerve (690) 55
Joseph, R., Dou, D. and Tsang, W.
Neuronatin mRNA: alternatively spliced forms of a novel brain-specific mammalian developmental gene (690) 92
Jost, N., see Tschöpe, C. (690) 15

Kalra, P.S., see Dube, M.G. (690) 275
Kalra, S.P., see Dube, M.G. (690) 275
Kapás, L., see Takahashi, S. (690) 241
Kasperaitis, M., see Eggen, B.J.L. (690) 73
Kemper, R.H.A., see Krugers, H.J. (690) 41
Kerr, R., see Maxwell, D.J. (690) 127
Klintsova, A., Levy, W.B. and Desmond, N.L.
Astrocytic volume fluctuates in the hippocampal CA1 region across the estrous cycle (690) 269
Knollema, S., see Krugers, H.J. (690) 41
Kobayashi, T., see Matsuno, K. (690) 200
Kondoh, A., see Ikeda, M. (690) 225
Kondoh, A., see Nakagawa, H. (690) 236
Korf, J., see Krugers, H.J. (690) 41
Krueger, J.M., see Takahashi, S. (690) 241
Krugers, H.J., Knollema, S., Kemper, R.H.A., Ter Horst, G.J. and Korf, J.
Down-regulation of the hypothalamo-pituitary-adrenal axis reduces brain damage and number of seizures following hypoxia/ischaemia in rats (690) 41
Kunkler, P.E., see Hwang, B.H. (690) 249

Lee, W., Watanabe, M. and Glass, J.D.
Photoperiod affects the expression of neural cell adhesion molecule and polysialic acid in the hypothalamus of the siberian hamster (690) 64
Leone, P., see Badiani, A. (690) 112
Leung, L.S., see Heale, V.R. (690) 157
Levy, W.B., see Klintsova, A. (690) 269
Li, T.-K., see Hwang, B.H. (690) 249
Limbrick Jr., D.D., Churn, S.B., Sombati, S. and DeLorenzo, R.J.
Inability to restore resting intracellular calcium levels as an early indicator of delayed neuronal cell death (690) 145
Lumeng, L., see Hwang, B.H. (690) 249

Marini, G. and Tredici, G.
Parafascicular nucleus-raphe projections and termination patterns in the rat (690) 177
Matsuno, K., Senda, T., Kobayashi, T. and Mita, S.
Involvement of σ_1 receptor in (+)-*N*-allylnormetazocine-stimulated hippocampal cholinergic functions in rats (690) 200
Maxwell, D.J., Todd, A.J. and Kerr, R.
Colocalization of glycine and GABA in synapses on spinomedullary neurons (690) 127
Mita, S., see Matsuno, K. (690) 200
Monnet-Tschudi, F., Zurich, M.-G., Pithon, E., Van Melle, G. and Honegger, P.
Microglial responsiveness as a sensitive marker for trimethyltin (TMT) neurotoxicity (690) 8
Montero, V.M. and Jian, S.
Induction of c-*fos* protein by patterned visual stimulation in central visual pathways of the rat (690) 189
Morris, M.J., see Pavia, J.M. (690) 108
Moya, F.J., see De Juan, J.A. (690) 25
Mullet, M.A., see Williams, F.G. (690) 207
Murrin, L.C., see Coulter, C.L. (690) 217

Nakagawa, H., Ikeda, M., Houtani, T., Ueyama, T., Baba, K., Kondoh, A., Yamamoto, T., Yamashita, T. and Sugimoto, T.
Immunohistochemical evidence for enkephalin and neuropeptide Y in rat inferior colliculus neurons that provide ascending or commissural fibers (690) 236
Nakagawa, H., see Ikeda, M. (690) 225

Palkovits, M., see Fodor, M. (690) 141
Pavia, J.M., Hastings, J.A. and Morris, M.J.
Neuropeptide Y potentiation of potassium-induced noradrenaline release in the hypothalamic paraventricular nucleus of the rat in vivo (690) 108
Petit, J., see Davies, P. (690) 82
Pickavance, L., see Dryden, S. (690) 185
Pithon, E., see Monnet-Tschudi, F. (690) 8

Ray, A., see Gulati, K. (690) 99
Rimanóczy, A. and Vathy, I.
Prenatal exposure to morphine alters brain μ opioid receptor characteristics in rats (690) 245
Robinson, B., see Woodside, B. (690) 48

Schrama, L.H., see Eggen, B.J.L. (690) 73
Scott, J.J.A., see Davies, P. (690) 82
Senda, T., see Matsuno, K. (690) 200

Sivam, S.P.
GBR-12909-induced self-injurious behavior: role of dopamine (690) 259
Smith, M.S., see Abbud, R. (690) 117
Sombati, S., see Limbrick Jr., D.D. (690) 145
Stewart, J., see Badiani, A. (690) 112
Sugimoto, T., see Ikeda, M. (690) 225
Sugimoto, T., see Nakagawa, H. (690) 236

Takahashi, S., Kapás, L., Fang, J. and Krueger, J.M.
An anti-tumor necrosis factor antibody suppresses sleep in rats and rabbits (690) 241
Ter Horst, G.J., see Krugers, H.J. (690) 41
Thomas, P.T., see Bhargava, H.N. (690) 121
Thorat, S.N., see Bhargava, H.N. (690) 121
Todd, A.J., see Maxwell, D.J. (690) 127
Tredici, G., see Marini, G. (690) 177
Tsang, W., see Joseph, R. (690) 92
Tschöpe, C., Jost, N., Unger, T. and Culman, J.
Central cardiovascular and behavioral effects of carboxy- and amino-terminal fragments of substance P in conscious rats (690) 15

Ueyama, T., see Ikeda, M. (690) 225
Ueyama, T., see Nakagawa, H. (690) 236
Unger, T., see Tschöpe, C. (690) 15

Vanderwolf, C.H., see Heale, V.R. (690) 157
Van Melle, G., see Monnet-Tschudi, F. (690) 8
Vathy, I., see Rimanóczy, A. (690) 245
Von Euler, G., see Hillefors-Berglund, M. (690) 34

Watanabe, M., see Lee, W. (690) 64
Williams, F.G., Mullet, M.A. and Beitz, A.J.
Basal release of Met-enkephalin and neurotensin in the ventrolateral periaqueductal gray matter of the rat: a microdialysis study of antinociceptive circuits (690) 207
Williams, G., see Dryden, S. (690) 185
Wolf, G., see Darius, S. (690) 231
Woodside, B., Robinson, B. and Amir, S.
Induction of Fos protein in a model of closed head injury in rats (690) 48

Yaksh, T.L., see Bach, F.W. (690) 167
Yamamoto, T., see Ikeda, M. (690) 225
Yamamoto, T., see Nakagawa, H. (690) 236
Yamashita, T., see Nakagawa, H. (690) 236
Yang, C.-H., see Hsu, K.-S. (690) 264

Zurich, M.-G., see Monnet-Tschudi, F. (690) 8